

Potential water-level rise, in feet, for use with
index well Barnstable A1W-230

Table 1

WATER LEVEL	ZONE A	ZONE B	ZONE C	ZONE D	ZONE E
20.5	0	0	0	0	0
20.6	0.1	0.1	0.1	0.1	0.2
20.7	0.1	0.1	0.2	0.3	0.3
20.8	0.2	0.2	0.3	0.4	0.5
20.9	0.2	0.3	0.4	0.5	0.6
21	0.3	0.3	0.5	0.7	0.8
21.1	0.3	0.4	0.6	0.8	0.9
21.2	0.4	0.5	0.7	0.9	1.1
21.3	0.4	0.5	0.8	1.1	1.2
21.4	0.5	0.6	0.9	1.2	1.4
21.5	0.5	0.7	1	1.3	1.5
21.6	0.6	0.7	1.1	1.5	1.7
21.7	0.6	0.8	1.2	1.6	1.8
21.8	0.7	0.9	1.3	1.7	2
21.9	0.7	0.9	1.4	1.9	2.1
22	0.8	1	1.5	2	2.3
22.1	0.8	1.1	1.6	2.1	2.4
22.2	0.9	1.1	1.7	2.3	2.6
22.3	0.9	1.2	1.8	2.4	2.7
22.4	1	1.3	1.9	2.5	2.9
22.5	0	1.3	2	2.7	3
22.6	1.1	1.4	2.1	2.8	3.2
22.7	1.1	1.5	2.2	2.9	3.3
22.8	1.2	1.5	2.3	3.1	3.5
22.9	1.2	1.6	2.4	3.2	3.6
23	1.3	1.7	2.5	3.3	3.8
23.1	1.3	1.7	2.6	3.5	3.9
23.2	1.4	1.8	2.7	3.6	4.1
23.3	1.4	1.9	2.8	3.7	4.2
23.4	1.5	1.9	2.9	3.9	4.4
23.5	1.5	2	3	4	4.5
23.6	1.6	2.1	3.1	4.1	4.7
23.7	1.6	2.1	3.2	4.3	4.8
23.8	1.7	2.2	3.3	4.4	5
23.9	1.7	22.3	3.4	4.5	5.1
24	1.8	2.3	3.5	4.7	5.3
24.1	1.8	2.4	3.6	4.8	5.4
24.2	1.9	2.5	3.7	4.9	5.6
24.3	1.9	2.5	3.8	5.1	5.7
24.4	2	2.6	3.9	5.2	5.9
24.5	2	2.7	4	5.3	6
24.6	2.1	2.7	4.1	5.5	6.2
24.7	2.1	2.8	4.2	5.6	6.3
24.8	2.2	2.9	4.3	5.7	6.5

24.9	2.2	2.9	4.4	5.9	6.6
25	2.3	3	4.5	6	6.8
25.1	2.3	3.1	4.6	6.1	6.9
25.2	2.4	3.1	4.7	6.3	7.1
25.3	2.4	3.2	4.8	6.4	7.2
25.4	2.5	3.3	4.9	6.5	7.4
25.5	2.5	3.3	5	6.7	7.5
25.6	2.6	3.4	5.1	6.8	7.7
25.7	2.6	3.5	5.2	6.9	7.8
25.8	2.7	3.5	5.3	7.1	8
25.9	2.7	3.6	5.4	7.2	8.1
26	2.8	3.7	5.5	7.3	8.3
26.1	2.8	3.7	5.6	7.5	8.4
26.2	2.9	3.8	5.7	7.6	8.6
26.3	2.9	3.9	5.8	7.7	8.7
26.4	3	3.9	5.9	7.9	8.9
26.5	3	4	6	8	9
26.6	3.1	4.1	6.1	8.1	9.2
26.7	3.1	4.1	6.2	8.3	9.3
26.8	3.2	4.2	6.3	8.4	9.5
26.9	3.2	4.3	6.4	8.5	9.6
27	3.3	4.3	6.5	8.7	9.8
27.1	3.3	4.4	6.6	8.8	9.9
27.2	3.4	4.5	6.7	8.9	10.1
27.3	3.4	4.5	6.8	9.1	10.2
27.4	3.5	4.6	6.9	9.2	10.4
27.5	3.5	4.7	7	9.3	10.5
27.6	3.6	4.7	7.1	9.5	10.7
27.7	3.6	4.8	7.2	9.6	10.8
27.8	3.7	4.9	7.3	9.7	11
27.9	3.7	4.9	7.4	9.9	11.1
28	3.8	5	7.5	10	11.3
28.1	3.8	5.1	7.6	10.1	11.4
28.2	3.9	5.1	7.7	10.3	11.6
28.3	3.9	5.2	7.8	10.4	11.7
28.4	4	5.3	7.9	10.5	11.9
28.5	4	5.3	8	10.7	12
28.6	4.1	5.4	8.1	10.8	12.2
28.7	4.1	5.5	8.2	10.9	12.3
28.8	4.2	5.5	8.3	11.1	12.5
28.9	4.2	5.6	8.4	11.2	12.6
29	4.3	5.7	8.5	11.3	12.8
29.1	4.3	5.7	8.6	11.5	12.9
29.2	4.4	5.8	8.7	11.6	13.1
29.3	4.4	5.9	8.8	11.7	13.2
29.4	4.5	5.9	8.9	11.9	13.4
29.5	4.5	6	9	12	13.5
29.6	4.6	6.61	9.1	12.1	13.7
29.7	4.6	6.1	9.2	12.3	13.8

29.8	4.7	6.2	9.3	12.4	14
29.9	4.7	6.3	9.4	12.5	14.1
30	4.8	6.3	9.5	12.7	14.3
30.1	4.8	6.4	9.6	12.8	14.4
30.2	4.9	6.5	9.7	12.9	14.6
30.3	4.9	6.5	9.8	13.1	14.7
30.4	5	6.6	9.9	13.2	14.9
30.5	5	6.7	10	13.3	15
30.6	5.1	6.7	10.1	13.5	15.2
30.7	5.1	6.8	10.2	13.6	15.3
30.8	5.2	6.9	10.3	13.7	15.5
30.9	5.2	6.9	10.4	13.9	15.6
31	5.3	7	10.5	14	15.8
31.1	5.3	7.1	10.6	14.1	15.9
31.2	5.4	7.1	10.7	14.3	16.1
31.3	5.4	7.2	10.8	14.4	16.2
31.4	5.5	7.3	10.9	14.5	16.4

Potential water-level rise, in feet, for use with
index well Barnstable A1W-247

Table 2
WATER

LEVEL	ZONE A	ZONE B	ZONE C	ZONE D
20.7	0	0	0	0
20.8	0.1	0.1	0.1	0.2
20.9	0.1	0.2	0.3	0.3
21	0.2	0.3	0.4	0.5
21.1	0.3	0.4	0.5	0.7
21.2	0.3	0.5	0.7	0.8
21.3	0.4	0.6	0.8	1
21.4	0.5	0.7	0.9	1.2
21.5	0.5	0.8	1.1	1.3
21.6	0.6	0.9	1.2	1.5
21.7	0.7	1	1.3	1.7
21.8	0.7	1.1	1.5	1.8
21.9	0.8	1.2	1.6	2
22	0.9	1.3	1.7	2.2
22.1	0.9	1.4	1.9	2.3
22.2	1	1.5	2	2.4
22.3	1.1	1.6	2.1	2.7
22.4	1.1	1.7	2.3	2.8
22.5	1.2	1.8	2.4	3
22.6	1.3	1.9	2.5	3.2
22.7	1.3	2	2.7	3.3
22.8	1.4	2.1	2.8	3.5
22.9	1.5	2.2	2.9	3.7
23	1.5	2.3	3.1	3.8
23.1	1.6	2.4	3.2	4
23.2	1.7	2.5	3.3	4.2
23.3	1.7	2.6	3.5	4.3
23.4	1.8	2.7	3.6	4.5
23.5	1.9	2.8	3.7	4.7
23.6	1.9	2.9	3.9	4.8
23.7	2	3	4	5
23.8	2.1	3.1	4.1	5.2
23.9	2.1	3.2	4.3	5.3
24	2.2	3.3	4.4	5.5
24.1	2.3	3.4	4.5	5.7
24.2	2.3	3.5	4.7	5.8
24.3	2.4	3.6	4.8	6
24.4	2.5	3.7	4.9	6.2
24.5	2.5	3.8	5.1	6.3
24.6	2.6	3.9	5.2	6.5
24.7	2.7	4	5.3	6.7
24.8	2.7	4.1	5.5	6.8
24.9	2.8	4.2	5.6	7
25	2.9	4.3	5.7	7.2
25.1	2.9	4.4	5.9	7.3
25.2	3	4.5	6	7.5

25.3	3.1	4.6	6.1	7.7
25.4	3.1	4.7	6.3	7.8
25.5	3.2	4.8	6.4	8
25.6	3.3	4.9	6.5	8.2
25.7	3.3	5	6.7	8.3
25.8	3.4	5.1	6.8	8.5
25.9	3.5	5.2	6.9	8.7
26	3.5	5.3	7.1	8.8
26.1	3.6	5.4	7.2	9
26.2	3.7	5.5	7.3	9.2
26.3	3.7	5.6	7.5	9.3
26.4	3.8	5.7	7.6	9.5
26.5	3.9	5.8	7.7	9.7
26.6	3.9	5.9	7.9	9.8
26.7	4	6	8	10
26.8	4.1	6.1	8.1	10.2
26.9	4.1	6.2	8.3	10.3
27	4.2	6.3	8.4	10.5
27.1	4.3	6.4	8.5	10.7
27.2	4.3	6.5	8.7	10.8
27.3	4.4	6.6	8.8	11
27.4	4.5	6.7	8.9	11.2
27.5	4.5	6.8	9.1	11.3
27.6	4.6	6.9	9.2	11.5
27.7	4.7	7	9.3	11.7
27.8	4.7	7.1	9.5	11.8
27.9	4.8	7.2	9.6	12
28	4.9	7.3	9.7	12.2
28.1	4.9	7.4	9.9	12.3
28.2	5	7.5	10	12.5
28.3	5.1	7.6	10.1	12.7
28.4	5.1	7.7	10.3	12.8
28.5	5.2	7.8	10.4	13
28.6	5.3	7.9	10.5	13.2
28.7	5.3	8	10.7	13.3
28.8	5.4	8.1	10.8	13.5
28.9	5.5	8.2	10.9	13.7
29	5.5	8.3	11.1	13.8
29.1	5.6	8.4	11.2	14
29.2	5.7	8.5	11.3	14.2
29.3	5.7	8.6	11.5	14.3
29.4	5.8	8.7	11.6	14.5
29.5	5.9	8.8	11.7	14.7
29.6	5.9	8.9	11.9	14.8
29.7	6	9	12	15
29.8	6.61	9.1	12.1	15.2
29.9	6.1	9.2	12.3	15.3
30	6.2	9.3	12.4	15.5
30.1	6.3	9.4	12.5	15.7

30.2	6.3	9.5	12.7	15.8
30.3	6.4	9.6	12.8	16
30.4	6.5	9.7	12.9	16.2
30.5	6.5	9.8	13.1	16.3
30.6	6.6	9.9	13.2	16.5
30.7	6.7	10	13.3	16.7
30.8	6.7	10.1	13.5	16.8
30.9	6.8	10.2	13.6	17
31	6.9	10.3	13.7	17.2
31.1	6.9	10.4	13.9	17.3
31.2	7	10.5	14	17.5
31.3	7.1	10.6	14.1	17.7
31.4	7.1	10.7	14.3	17.8
31.5	7.2	10.8	14.4	18
31.6	7.3	10.9	14.5	18.2
31.7	7.3	11	14.7	18.3
31.8	7.4	11.1	14.8	18.5
31.9	7.5	11.2	14.9	18.7
32	7.5	11.3	15.1	18.8
32.1	7.6	11.4	15.2	19
32.2	7.7	11.5	15.3	19.2
32.3	7.7	11.6	15.5	19.3
32.4	7.8	11.7	15.6	19.5
32.5	7.9	11.8	15.7	19.7
32.6	7.9	11.9	15.9	19.8
32.7	8	12	16	20
32.8	8.1	12.1	16.1	20.2
32.9	8.1	12.2	16.3	20.3
33	8.2	12.3	16.4	20.5
33.1	8.3	12.4	16.5	20.7
33.2	8.3	12.5	16.7	20.8
33.3	8.4	12.6	16.8	21
33.4	8.5	12.7	16.9	21.2
33.5	8.5	12.8	17.1	21.3
33.6	8.6	12.9	17.2	21.5

Table 3 Potential water-level rise, in feet, for use with index well Brewster BMW-21

WATER LEVEL	ZONE A	ZONE B
6.9	0	0
7	0.1	0.1
7.1	0.1	0.2
7.2	0.2	0.3
7.3	0.3	0.4
7.4	0.3	0.5
7.5	0.4	0.6
7.6	0.5	0.7
7.7	0.5	0.8
7.8	0.6	0.9
7.9	0.7	1
8	0.7	1.1
8.1	0.8	1.2
8.2	0.9	1.3
8.3	0.9	1.4
8.4	1	1.5
8.5	1.1	1.6
8.6	1.1	1.7
8.7	1.2	1.8
8.8	1.3	1.9
8.9	1.3	2
9	1.4	2.1
9.1	1.5	2.2
9.2	1.5	2.3
9.3	1.6	2.4
9.4	1.7	2.5
9.5	1.7	2.6
9.6	1.8	2.7
9.7	1.9	2.8
9.8	1.9	2.9
9.9	2	3
10	2.1	3.1
10.1	2.1	3.2
10.2	2.2	3.3
10.3	22.3	3.4
10.4	2.3	3.5
10.5	2.4	3.6
10.6	2.5	3.7
10.7	2.5	3.8
10.8	2.6	3.9
10.9	2.7	4
11	2.7	4.1
11.1	2.8	4.2
11.2	2.9	4.3
11.3	2.9	4.4

11.4	3	4.5
11.5	3.1	4.6
11.6	3.1	4.7
11.7	3.2	4.8
11.8	3.3	4.9
11.9	3.3	5
12	3.4	5.1
12.1	3.5	5.2
12.2	3.5	5.3
12.3	3.6	5.4
12.4	3.7	5.5
12.5	3.7	5.6
12.6	3.8	5.7
12.7	3.9	5.8
12.8	3.9	5.9
12.9	4	6
13	4.1	6.1
13.1	4.1	6.2
13.2	4.2	6.3
13.3	4.3	6.4
13.4	4.3	6.5
13.5	4.4	6.6
13.6	4.5	6.7
13.7	4.5	6.8
13.8	4.6	6.9
13.9	4.7	7
14	4.7	7.1
14.1	4.8	7.2
14.2	4.9	7.3
14.3	4.9	7.4
14.4	5	7.5
14.5	5.1	7.6
14.6	5.1	7.7
14.7	5.2	7.8
14.8	5.3	7.9
14.9	5.3	8
15	5.4	8.1
15.1	5.5	8.2
15.2	5.5	8.3
15.3	5.6	8.4
15.4	5.7	8.5
15.5	5.7	8.6
15.6	5.8	8.7
15.7	5.9	8.8
15.8	5.9	8.9
15.9	6	9
16	6.61	9.1
16.1	6.1	9.2
16.2	6.2	9.3

16.3	6.3	9.4
16.4	6.3	9.5
16.5	6.4	9.6
16.6	6.5	9.7
16.7	6.5	9.8
16.8	6.6	9.9
16.9	6.7	10
17	6.7	10.1
17.1	6.8	10.2
17.2	6.9	10.3
17.3	6.9	10.4
17.4	7	10.5
17.5	7.1	10.6
17.6	7.1	10.7
17.7	7.2	10.8
17.8	7.3	10.9
17.9	7.3	11

Potential water-level rise, in feet, for use with
index well Chatham CGW-138

Table 4

WATER LEVEL	ZONE A	ZONE B	ZONE C	ZONE D
20.9	0	0	0	0
21	0.1	0.1	0.1	0.2
21.1	0.1	0.2	0.3	0.3
21.2	0.2	0.3	0.4	0.5
21.3	0.3	0.4	0.5	0.7
21.4	0.3	0.5	0.7	0.8
21.5	0.4	0.6	0.8	1
21.6	0.5	0.7	0.9	1.2
21.7	0.5	0.8	1.1	1.3
21.8	0.6	0.9	1.2	1.5
21.9	0.7	1	1.3	1.7
22	0.7	1.1	1.5	1.8
22.1	0.8	1.2	1.6	2
22.2	0.9	1.3	1.7	2.2
22.3	0.9	1.4	1.9	2.3
22.4	1	1.5	2	2.4
22.5	1.1	1.6	2.1	2.7
22.6	1.1	1.7	2.3	2.8
22.7	1.2	1.8	2.4	3
22.8	1.3	1.9	2.5	3.2
22.9	1.3	2	2.7	3.3
23	1.4	2.1	2.8	3.5
23.1	1.5	2.2	2.9	3.7
23.2	1.5	2.3	3.1	3.8
23.3	1.6	2.4	3.2	4
23.4	1.7	2.5	3.3	4.2
23.5	1.7	2.6	3.5	4.3
23.6	1.8	2.7	3.6	4.5
23.7	1.9	2.8	3.7	4.7
23.8	1.9	2.9	3.9	4.8
23.9	2	3	4	5
24	2.1	3.1	4.1	5.2
24.1	2.1	3.2	4.3	5.3
24.2	2.2	3.3	4.4	5.5
24.3	2.3	3.4	4.5	5.7
24.4	2.3	3.5	4.7	5.8
24.5	2.4	3.6	4.8	6
24.6	2.5	3.7	4.9	6.2
24.7	2.5	3.8	5.1	6.3
24.8	2.6	3.9	5.2	6.5
24.9	2.7	4	5.3	6.7
25	2.7	4.1	5.5	6.8
25.1	2.8	4.2	5.6	7
25.2	2.9	4.3	5.7	7.2

25.3	2.9	4.4	5.9	7.3
25.4	3	4.5	6	7.5
25.5	3.1	4.6	6.1	7.7
25.6	3.1	4.7	6.3	7.8
25.7	3.2	4.8	6.4	8
25.8	3.3	4.9	6.5	8.2
25.9	3.3	5	6.7	8.3
26	3.4	5.1	6.8	8.5
26.1	3.5	5.2	6.9	8.7
26.2	3.5	5.3	7.1	8.8
26.3	3.6	5.4	7.2	9
26.4	3.7	5.5	7.3	9.2
26.5	3.7	5.6	7.5	9.3
26.6	3.8	5.7	7.6	9.5
26.7	3.9	5.8	7.7	9.7
26.8	3.9	5.9	7.9	9.8
26.9	4	6	8	10
27	4.1	6.1	8.1	10.2
27.1	4.1	6.2	8.3	10.3
27.2	4.2	6.3	8.4	10.5
27.3	4.3	6.4	8.5	10.7
27.4	4.3	6.5	8.7	10.8
27.5	4.4	6.6	8.8	11
27.6	4.5	6.7	8.9	11.2
27.7	4.5	6.8	9.1	11.3
27.8	4.6	6.9	9.2	11.5
27.9	4.7	7	9.3	11.7
28	4.7	7.1	9.5	11.8
28.1	4.8	7.2	9.6	12
28.2	4.9	7.3	9.7	12.2
28.3	4.9	7.4	9.9	12.3
28.4	5	7.5	10	12.5
28.5	5.1	7.6	10.1	12.7
28.6	5.1	7.7	10.3	12.8
28.7	5.2	7.8	10.4	13
28.8	5.3	7.9	10.5	13.2
28.9	5.3	8	10.7	13.3
29	5.4	8.1	10.8	13.5
29.1	5.5	8.2	10.9	13.7
29.2	5.5	8.3	11.1	13.8
29.3	5.6	8.4	11.2	14
29.4	5.7	8.5	11.3	14.2
29.5	5.7	8.6	11.5	14.3
29.6	5.8	8.7	11.6	14.5
29.7	5.9	8.8	11.7	14.7
29.8	5.9	8.9	11.9	14.8
29.9	6	9	12	15
30	6.61	9.1	12.1	15.2
30.1	6.1	9.2	12.3	15.3

30.2	6.2	9.3	12.4	15.5
30.3	6.3	9.4	12.5	15.7
30.4	6.3	9.5	12.7	15.8
30.5	6.4	9.6	12.8	16
30.6	6.5	9.7	12.9	16.2
30.7	6.5	9.8	13.1	16.3
30.8	6.6	9.9	13.2	16.5
30.9	6.7	10	13.3	16.7
31	6.7	10.1	13.5	16.8
31.1	6.8	10.2	13.6	17
31.2	6.9	10.3	13.7	17.2
31.3	6.9	10.4	13.9	17.3

Potential water-level rise, in feet, for use with
index well Sandwich SDW-252

Table 6

WATER

LEVEL	ZONE A	ZONE B	ZONE C	ZONE D
45.9	0	0	0	0
46	0.1	0.2	0.2	0.3
46.1	0.2	0.3	0.4	0.5
46.2	0.3	0.5	0.6	0.8
46.3	0.4	0.6	0.8	1
46.4	0.5	0.8	1	1.3
46.5	0.6	0.9	1.2	1.5
46.6	0.7	1.1	1.4	1.8
46.7	0.8	1.2	1.6	2
46.8	0.9	1.4	1.8	2.3
46.9	1	1.5	2	2.5
47	1.1	1.7	2.2	2.8
47.1	1.2	1.8	2.4	3
47.2	1.3	2	2.6	3.3
47.3	1.4	2.1	2.8	3.5
47.4	1.5	2.3	3	3.8
47.5	1.6	2.4	3.2	4
47.6	1.7	2.6	3.4	4.3
47.7	1.8	2.7	3.6	4.5
47.8	1.9	2.9	3.8	4.8
47.9	2	3	4	5
48	2.1	3.2	4.2	5.3
48.1	2.2	3.3	4.4	5.5
48.2	2.3	3.5	4.6	5.8
48.3	2.4	3.6	4.8	6
48.4	2.5	3.8	5	6.3
48.5	2.6	3.9	5.2	6.5
48.6	2.7	4.1	5.4	6.8
48.7	2.8	4.2	5.6	7
48.8	2.9	4.4	5.8	7.3
48.9	3	4.5	6	7.5
49	3.1	4.7	6.2	7.8
49.1	3.2	4.8	6.4	8
49.2	3.3	5	6.6	8.3
49.3	3.4	5.1	6.8	8.5
49.4	3.5	5.3	7	8.8
49.5	3.6	5.4	7.2	9
49.6	3.7	5.6	7.4	9.3
49.7	3.8	5.7	7.6	9.5
49.8	3.9	5.9	7.8	9.8
49.9	4	6	8	10
50	4.1	6.2	8.2	10.3
50.1	4.2	6.3	8.4	10.5
50.2	4.3	6.5	8.6	10.8
50.3	4.4	6.6	8.8	11

50.4	4.5	6.8	9	11.3
50.5	4.6	6.9	9.2	11.5
50.6	4.7	7.1	9.4	11.8
50.7	4.8	7.2	9.6	12
50.8	4.9	7.4	9.8	12.3
50.9	5	7.5	10	12.5
51	5.1	7.7	10.2	12.8
51.1	5.2	7.8	10.4	13
51.2	5.3	8	10.6	13.3
51.3	5.4	8.1	10.8	13.5
51.4	5.5	8.3	11	13.8
51.5	5.6	8.4	11.2	14
51.6	5.7	8.6	11.4	14.3
51.7	5.8	8.7	11.6	14.5
51.8	5.9	8.9	11.8	14.8
51.9	6	9	12	15
52	6.1	9.2	12.2	15.3
52.1	6.2	9.3	12.4	15.5
52.2	6.3	9.5	12.6	15.8
52.3	6.4	9.6	12.8	16
52.4	6.5	9.8	13	16.3
52.5	6.6	9.9	13.2	16.5
52.6	6.7	10.1	13.4	16.8
52.7	6.8	10.2	13.6	17
52.8	6.9	10.4	13.8	17.3
52.9	7	10.5	14	17.5
53	7.1	10.7	14.2	17.8
53.1	7.2	10.8	14.4	18
53.2	7.3	11	14.6	18.3

Potential water-level rise, in feet, for
 use with index well Sandwich SDW-
 253

Table 7

WATER LEVEL	ZONE A	ZONE B	ZONE C
45.8	0	0	0
45.9	0.1	0.1	0.1
46	0.1	0.2	0.3
46.1	0.2	0.3	0.4
46.2	0.3	0.4	0.5
46.3	0.3	0.5	0.7
46.4	0.4	0.6	0.8
46.5	0.5	0.7	0.9
46.6	0.5	0.8	1.1
46.7	0.6	0.9	1.2
46.8	0.7	1	1.3
46.9	0.7	1.1	1.5
47	0.8	1.2	1.6
47.1	0.9	1.3	1.7
47.2	0.9	1.4	1.9
47.3	1	1.5	2
47.4	1.1	1.6	2.1
47.5	1.1	1.7	2.3
47.6	1.2	1.8	2.4
47.7	1.3	1.9	2.5
47.8	1.3	2	2.7
47.9	1.4	2.1	2.8
48	1.5	2.2	2.9
48.1	1.5	2.3	3.1
48.2	1.6	2.4	3.2
48.3	1.7	2.5	3.3
48.4	1.7	2.6	3.5
48.5	1.8	2.7	3.6
48.6	1.9	2.8	3.7
48.7	1.9	2.9	3.9
48.8	2	3	4
48.9	2.1	3.1	4.1
49	2.1	3.2	4.3
49.1	2.2	3.3	4.4
49.2	22.3	3.4	4.5
49.3	2.3	3.5	4.7
49.4	2.4	3.6	4.8
49.5	2.5	3.7	4.9
49.6	2.5	3.8	5.1
49.7	2.6	3.9	5.2
49.8	2.7	4	5.3
49.9	2.7	4.1	5.5
50	2.8	4.2	5.6

50.1	2.9	4.3	5.7
50.2	2.9	4.4	5.9
50.3	3	4.5	6
50.4	3.1	4.6	6.1
50.5	3.1	4.7	6.3
50.6	3.2	4.8	6.4
50.7	3.3	4.9	6.5
50.8	3.3	5	6.7
50.9	3.4	5.1	6.8
51	3.5	5.2	6.9
51.1	3.5	5.3	7.1
51.2	3.6	5.4	7.2
51.3	3.7	5.5	7.3
51.4	3.7	5.6	7.5
51.5	3.8	5.7	7.6
51.6	3.9	5.8	7.7
51.7	3.9	5.9	7.9
51.8	4	6	8
51.9	4.1	6.1	8.1
52	4.1	6.2	8.3
52.1	4.2	6.3	8.4
52.2	4.3	6.4	8.5
52.3	4.3	6.5	8.7
52.4	4.4	6.6	8.8
52.5	4.5	6.7	8.9
52.6	4.5	6.8	9.1
52.7	4.6	6.9	9.2
52.8	4.7	7	9.3
52.9	4.7	7.1	9.5
53	4.8	7.2	9.6
53.1	4.9	7.3	9.7
53.2	4.9	7.4	9.9
53.3	5	7.5	10
53.4	5.1	7.6	10.1
53.5	5.1	7.7	10.3
53.6	5.2	7.8	10.4
53.7	5.3	7.9	10.5
53.8	5.3	8	10.7
53.9	5.4	8.1	10.8
54	5.5	8.2	10.9
54.1	5.5	8.3	11.1
54.2	5.6	8.4	11.2
54.3	5.7	8.5	11.3
54.4	5.7	8.6	11.5
54.5	5.8	8.7	11.6
54.6	5.9	8.8	11.7
54.7	5.9	8.9	11.9
54.8	6	9	12
54.9	6.61	9.1	12.1

55	6.1	9.2	12.3
55.1	6.2	9.3	12.4
55.2	6.3	9.4	12.5
55.3	6.3	9.5	12.7
55.4	6.4	9.6	12.8
55.5	6.5	9.7	12.9
55.6	6.5	9.8	13.1
55.7	6.6	9.9	13.2
55.8	6.7	10	13.3
55.9	6.7	10.1	13.5
56	6.8	10.2	13.6
56.1	6.9	10.3	13.7
56.2	6.9	10.4	13.9
56.3	7	10.5	14
56.4	7.1	10.6	14.1
56.5	7.1	10.7	14.3
56.6	7.2	10.8	14.4
56.7	7.3	10.9	14.5
56.8	7.3	11	14.7
56.9	7.4	11.1	14.8
57	7.5	11.2	14.9
57.1	7.5	11.3	15.1
57.2	7.6	11.4	15.2
57.3	7.7	11.5	15.3
57.4	7.7	11.6	15.5
57.5	7.8	11.7	15.6
57.6	7.9	11.8	15.7
57.7	7.9	11.9	15.9
57.8	8	12	16
57.9	8.1	12.1	16.1
58	8.1	12.2	16.3
58.1	8.2	12.3	16.4
58.2	8.3	12.4	16.5
58.3	8.3	12.5	16.7
58.4	8.4	12.6	16.8
58.5	8.5	12.7	16.9
58.6	8.5	12.8	17.1
58.7	8.6	12.9	17.2
58.8	8.7	13	17.3
58.9	8.7	13.1	17.5
59	8.8	13.2	17.6
59.1	8.9	13.3	17.7
59.2	8.9	13.4	17.9
59.3	9	13.5	18
59.4	9.1	13.6	18.1
59.5	9.1	13.7	18.3
59.6	9.2	13.8	18.4
59.7	9.3	13.9	18.5

Table 8 Potential water-level rise, in feet, for use with index well Truro TSW-89

WATER LEVEL	ZONE A	ZONE B	ZONE C
10.2	0	0	0
10.3	0.1	0.2	0.2
10.4	0.2	0.3	0.4
10.5	0.3	0.5	0.6
10.6	0.4	0.6	0.8
10.7	0.5	0.8	1
10.8	0.6	0.9	1.2
10.9	0.7	1.1	1.4
11	0.8	1.2	1.6
11.1	0.9	1.4	1.8
11.2	1	1.5	2
11.3	1.1	1.7	2.2
11.4	1.2	1.8	2.4
11.5	1.3	2	2.6
11.6	1.4	2.1	2.8
11.7	1.5	2.3	3
11.8	1.6	2.4	3.2
11.9	1.7	2.6	3.4
12	1.8	2.7	3.6
12.1	1.9	2.9	3.8
12.2	2	3	4
12.3	2.1	3.2	4.2
12.4	2.2	3.3	4.4
12.5	2.3	3.5	4.6
12.6	2.4	3.6	4.8
12.7	2.5	3.8	5
12.8	2.6	3.9	5.2
12.9	2.7	4.1	5.4
13	2.8	4.2	5.6
13.1	2.9	4.4	5.8
13.2	3	4.5	6
13.3	3.1	4.7	6.2
13.4	3.2	4.8	6.4
13.5	3.3	5	6.6
13.6	3.4	5.1	6.8
13.7	3.5	5.3	7
13.8	3.6	5.4	7.2
13.9	3.7	5.6	7.4
14	3.8	5.7	7.6
14.1	3.9	5.9	7.8
14.2	4	6	8
14.3	4.1	6.2	8.2
14.4	4.2	6.3	8.4
14.5	4.3	6.5	8.6

14.6	4.4	6.6	8.8
14.7	4.5	6.8	9
14.8	4.6	6.9	9.2
14.9	4.7	7.1	9.4
15	4.8	7.2	9.6
15.1	4.9	7.4	9.8
15.2	5	7.5	10
15.3	5.1	7.7	10.2
15.4	5.2	7.8	10.4
15.5	5.3	8	10.6
15.6	5.4	8.1	10.8
15.7	5.5	8.3	11
15.8	5.6	8.4	11.2
15.9	5.7	8.6	11.4
16	5.8	8.7	11.6
16.1	5.9	8.9	11.8
16.2	6	9	12
16.3	6.1	9.2	12.2
16.4	6.2	9.3	12.4
16.5	6.3	9.5	12.6
16.6	6.4	9.6	12.8
16.7	6.5	9.8	13
16.8	6.6	9.9	13.2
16.9	6.7	10.1	13.4
17	6.8	10.2	13.6
17.1	6.9	10.4	13.8
17.2	7	10.5	14
17.3	7.1	10.7	14.2
17.4	7.2	10.8	14.4
17.5	7.3	11	14.6
17.6	7.4	11.1	14.8
17.7	7.5	11.3	15
17.8	7.6	11.4	15.2
17.9	7.7	11.6	15.4
18	7.8	11.7	15.6
18.1	7.9	11.9	15.8

Table 9 Potential water-level rise, in feet, for use with index well Wellfleet WNW-17

WATER LEVEL	ZONE A	ZONE B	ZONE C
7.3	0	0	0
7.4	0.1	0.1	0.1
7.5	0.1	0.1	0.2
7.6	0.2	0.2	0.3
7.7	0.2	0.3	0.4
7.8	0.3	0.3	0.5
7.9	0.3	0.4	0.6
8	0.4	0.5	0.7
8.1	0.4	0.5	0.8
8.2	0.5	0.6	0.9
8.3	0.5	0.7	1
8.4	0.6	0.7	1.1
8.5	0.6	0.8	1.2
8.6	0.7	0.9	1.3
8.7	0.7	0.9	1.4
8.8	0.8	1	1.5
8.9	0.8	1.1	1.6
9	0.9	1.1	1.7
9.1	0.9	1.2	1.8
9.2	1	1.3	1.9
9.3	0	1.3	2
9.4	1.1	1.4	2.1
9.5	1.1	1.5	2.2
9.6	1.2	1.5	2.3
9.7	1.2	1.6	2.4
9.8	1.3	1.7	2.5
9.9	1.3	1.7	2.6
10	1.4	1.8	2.7
10.1	1.4	1.9	2.8
10.2	1.5	1.9	2.9
10.3	1.5	2	3
10.4	1.6	2.1	3.1
10.5	1.6	2.1	3.2
10.6	1.7	2.2	3.3
10.7	1.7	22.3	3.4
10.8	1.8	2.3	3.5
10.9	1.8	2.4	3.6
11	1.9	2.5	3.7
11.1	1.9	2.5	3.8
11.2	2	2.6	3.9
11.3	2	2.7	4
11.4	2.1	2.7	4.1
11.5	2.1	2.8	4.2

11.6	2.2	2.9	4.3
11.7	2.2	2.9	4.4
11.8	2.3	3	4.5
11.9	2.3	3.1	4.6
12	2.4	3.1	4.7
12.1	2.4	3.2	4.8
12.2	2.5	3.3	4.9
12.3	2.5	3.3	5
12.4	2.6	3.4	5.1
12.5	2.6	3.5	5.2
12.6	2.7	3.5	5.3
12.7	2.7	3.6	5.4
12.8	2.8	3.7	5.5
12.9	2.8	3.7	5.6
13	2.9	3.8	5.7
13.1	2.9	3.9	5.8
13.2	3	3.9	5.9
13.3	3	4	6
13.4	3.1	4.1	6.1
13.5	3.1	4.1	6.2
13.6	3.2	4.2	6.3
13.7	3.2	4.3	6.4
13.8	3.3	4.3	6.5
13.9	3.3	4.4	6.6
14	3.4	4.5	6.7
14.1	3.4	4.5	6.8
14.2	3.5	4.6	6.9
14.3	3.5	4.7	7
14.4	3.6	4.7	7.1
14.5	3.6	4.8	7.2
14.6	3.7	4.9	7.3
14.7	3.7	4.9	7.4
14.8	3.8	5	7.5
14.9	3.8	5.1	7.6
15	3.9	5.1	7.7
15.1	3.9	5.2	7.8
15.2	4	5.3	7.9
15.3	4	5.3	8
15.4	4.1	5.4	8.1
15.5	4.1	5.5	8.2
15.6	4.2	5.5	8.3
15.7	4.2	5.6	8.4
15.8	4.3	5.7	8.5
15.9	4.3	5.7	8.6
16	4.4	5.8	8.7
16.1	4.4	5.9	8.8
16.2	4.5	5.9	8.9
16.3	4.5	6	9
16.4	4.6	6.61	9.1

16.5	4.6	6.1	9.2
16.6	4.7	6.2	9.3
16.7	4.7	6.3	9.4
16.8	4.8	6.3	9.5
16.9	4.8	6.4	9.6
17	4.9	6.5	9.7
17.1	4.9	6.5	9.8
17.2	5	6.6	9.9
17.3	5	6.7	10
17.4	5.1	6.7	10.1
17.5	5.1	6.8	10.2
17.6	5.2	6.9	10.3
17.7	5.2	6.9	10.4